

TEL: +381 38 59 58 313
FAX: +381 38 59 58 214
AFTN: BKPRZPZX
E-mail: ais@airportpristina.com

AIP KOSOVO

Aeronautical Information Service
Pristina International Airport
Vrellë-Lipjan

AIP AIRAC AMDT 10/2013

Publication date: 18 APR 2013

Effective date: 30 MAY 2013

1. Insert the following new page

Remove the following old page

BKPR AD 2.1-3

30 MAY 13

BKPR AD 2.1-3

29 JUL 10

2. Please record entry of Amendment on page GEN 0.2-1

TEL: +381 38 59 58 313
FAX: +381 38 59 58 214
AFTN: BKPRZPZX
E-mail: ais@airportpristina.com

AIP KOSOVO

Aeronautical Information Service
Pristina International Airport
Vrellë-Lipjan

AIP AIRAC AMDT 10/2013

Publication date: 18 APR 2013

Effective date: 30 MAY 2013

1. Insert the following new page

Remove the following old page

BKPR AD 2.1-3

30 MAY 13

BKPR AD 2.1-3

29 JUL 10

2. Please record entry of Amendment on page GEN 0.2-1

GEN 0.4 CHECKLIST OF AIP PAGES

<i>Page</i>	<i>Date</i>	<i>Page</i>	<i>Date</i>	<i>Page</i>	<i>Date</i>
PART 1 - GENERAL (GEN)		2.3-7	18 DEC 08	1.3-1	18 DEC 08
		2.3-8	18 DEC 08	1.3-2	18 DEC 08
GEN 0		2.3-9	18 DEC 08	1.4-1	18 DEC 08
0.1-1	18 DEC 08	2.3-10	18 DEC 08	1.4-2	18 DEC 08
0.1-2	18 DEC 08	2.4-1	18 DEC 08	1.5-1	18 DEC 08
0.1-3	18 DEC 08	2.4-2	18 DEC 08	1.5-2	18 DEC 08
0.1-4	18 DEC 08	2.5-1	18 DEC 08	1.6-1	18 DEC 08
0.2-1	18 DEC 08	2.5-2	18 DEC 08	1.6-2	18 DEC 08
0.2-2	18 DEC 08	2.6-1	18 DEC 08	1.6-3	18 DEC 08
0.3-1	14 JUN 12	2.6-2	18 DEC 08	1.6-4	18 DEC 08
0.3-2	14 JUN 12	2.6-3	18 DEC 08	1.6-5	18 DEC 08
0.4-1	30 MAY 13	2.6-4	18 DEC 08	1.6-6	18 DEC 08
0.4-2	30 MAY 13	2.7-1	18 DEC 08	1.7-1	18 DEC 08
0.5-1	18 DEC 08	2.7-2	18 DEC 08	1.7-2	18 DEC 08
0.5-2	18 DEC 08			1.8-1	18 DEC 08
0.6-1	29 JAN 09	GEN 3		1.8-2	18 DEC 08
0.6-2	29 JAN 09	3.1-1	14 JUN 12	1.8-3	18 DEC 08
		3.1-2	14 JUN 12	1.8-4	18 DEC 08
GEN 1		3.1-3	14 JUN 12	1.8-5	18 DEC 08
1.1-1	02 DEC 10	3.1-4	14 JUN 12	1.8-6	18 DEC 08
1.1-2	02 DEC 10	3.2-1	29 JAN 09	1.8-7	18 DEC 08
1.2-1	01 NOV 12	3.2-2	29 JAN 09	1.8-8	18 DEC 08
1.2-2	01 NOV 12	3.2-3	02 DEC 12	1.8-9	18 DEC 08
1.3-1	23 APR 09	3.2-4	02 DEC 12	1.8-10	18 DEC 08
1.3-2	23 APR 09	3.2-5	29 JAN 09	1.8-11	18 DEC 08
1.3-3	23 APR 09	3.2-6	29 JAN 09	1.8-12	18 DEC 08
1.3-4	23 APR 09	3.3-1	18 DEC 08	1.8-13	18 DEC 08
1.4-1	23 APR 09	3.3-2	18 DEC 08	1.8-14	18 DEC 08
1.4-2	23 APR 09	3.4-1	18 NOV 10	1.8-15	18 DEC 08
1.5-1	18 DEC 08	3.4-2	18 NOV 10	1.8-16	18 DEC 08
1.5-2	18 DEC 08	3.5-1	18 JUN 09	1.8-17	18 DEC 08
1.6-1	16 JUN 11	3.5-2	18 JUN 09	1.8-18	18 DEC 08
1.6-2	16 JUN 11	3.6-1	18 DEC 08	1.8-19	18 DEC 08
1.7-1	18 DEC 08	3.6-2	18 DEC 08	1.8-20	18 DEC 08
1.7-2	18 DEC 08			1.8-21	18 DEC 08
1.7-3	18 DEC 08	GEN 4		1.8-22	18 DEC 08
1.7-4	18 DEC 08	4.1-1	01 NOV 12	1.8-23	18 DEC 08
		4.1-2	01 NOV 12	1.8-23	18 DEC 08
GEN 2		4.2-1	14 JUN 12	1.8-25	18 DEC 08
2.1-1	18 JUN 09	4.2-2	14 JUN 12	1.8-26	18 DEC 08
2.1-2	18 JUN 09			1.8-27	18 DEC 08
2.2-1	02 DEC 10			1.8-28	18 DEC 08
2.2-2	02 DEC 10	PART 2 - EN-ROUTE (ENR)		1.8-29	18 DEC 08
2.2-3	01 NOV 12			1.8-30	18 DEC 08
2.2-4	01 NOV 12	ENR 0		1.8-31	18 DEC 08
2.2-5	18 JUN 09	0.6-1	18 DEC 08	1.8-32	18 DEC 08
2.2-6	18 JUN 09	0.6-2	18 DEC 08	1.8-33	18 DEC 08
2.3-1	18 DEC 08			1.8-34	18 DEC 08
2.3-2	18 DEC 08	ENR 1		1.8-35	18 DEC 08
2.3-3	18 DEC 08	1.1-1	18 DEC 08	1.8-36	18 DEC 08
2.3-4	18 DEC 08	1.1-2	18 DEC 08	1.8-37	18 DEC 08
2.3-5	18 DEC 08	1.2-1	13 JAN 11	1.8-38	18 DEC 08
2.3-6	18 DEC 08	1.2-2	13 JAN 11	1.8-39	18 DEC 08

<i>Page</i>	<i>Date</i>	<i>Page</i>	<i>Date</i>	<i>Page</i>	<i>Date</i>
1.8-40	18 DEC 08	4.4-1	18 DEC 08	2.24.2.1-1	13 DEC 12
1.9-1	01 NOV 12	4.4-2	18 DEC 08	2.24.4.1-1	18 DEC 08
1.9-2	01 NOV 12	ENR 5		2.24.4.2-1	18 DEC 08
1.9-3	18 NOV 10	5.1-1	28 JUL 11	2.24.5.1-1	13 JAN 11
1.9-4	18 NOV 10	5.1-2	28 JUL 11	2.24.6.1-1	18 NOV 10
1.10-1	29 JAN 09	5.2-1	18 DEC 08	2.24.6.1-2	18 NOV 10
1.10-2	29 JAN 09	5.2-2	18 DEC 08	2.24.7.1-1	09 APR 09
1.11-1	18 DEC 08	5.3-1	18 DEC 08	2.24.7.1-2	09 APR 09
1.11-2	18 DEC 08	5.3-2	18 DEC 08	2.24.7.1-3	09 APR 09
1.12-1	18 DEC 08	5.4-1	18 DEC 08	2.24.7.1-4	09 APR 09
1.12-2	18 DEC 08	5.4-2	18 DEC 08	2.24.7.1-5	09 APR 09
1.12-3	18 DEC 08	5.5-1	18 DEC 08	2.24.7.1-6	09 APR 09
1.12-4	18 DEC 08	5.5-2	18 DEC 08	2.24.7.1-7	09 APR 09
1.13-1	18 DEC 08	5.6-1	18 DEC 08	2.24.7.1-8	09 APR 09
1.13-2	18 DEC 08	5.6-2	18 DEC 08	2.24.9.1-1	09 APR 09
1.14-1	18 DEC 08			2.24.9.1-2	09 APR 09
1.14-2	18 DEC 08			2.24.9.1-3	09 APR 09
1.14-3	18 DEC 08	PART 3 - AERODROME (AD)		2.24.9.1-4	09 APR 09
1.14-4	18 DEC 08			2.24.9.1-5	09 APR 09
1.14-5	18 DEC 08	AD 0		2.24.9.1-6	09 APR 09
1.14-6	18 DEC 08	0.6-1	18 NOV 10	2.24.9.1-7	09 APR 09
1.14-7	18 DEC 08	0.6-2	18 NOV 10	2.24.9.1-8	09 APR 09
1.14-8	18 DEC 08			2.24.10.1-1	18 NOV 10
		AD 1		2.24.10.1-2	18 NOV 10
ENR 2		1.1-1	01 NOV 12	2.24.10.1-3	09 APR 09
2.1-1	28 JUL 11	1.1-2	01 NOV 12	2.24.10.1-4	09 APR 09
2.1-2	28 JUL 11	1.1-3	02 DEC 10	2.24.13.1-1	18 DEC 08
2.1-3	28 JUL 11	1.1-4	02 DEC 10	2.24.13.1-2	18 DEC 08
2.1-4	28 JUL 11	1.2-1	23 APR 09		
2.1-5	28 JUL 11	1.2-2	23 APR 09		
2.1-6	28 JUL 11	1.2-3	23 APR 09		
2.2-1	18 DEC 08	1.2-4	23 APR 09		
2.2-2	18 DEC 08	1.3-1	18 DEC 08		
		1.3-2	18 DEC 08		
ENR 3		1.4-1	18 DEC 08		
3.1-1	18 DEC 08	1.4-2	18 DEC 08		
3.1.2	18 DEC 08				
3.2-1	18 DEC 08	AD 2			
3.2-2	18 DEC 08	2.1-1	14 JUN 12		
3.3-1	18 DEC 08	2.1-2	14 JUN 12		
3.3-2	18 DEC 08	2.1-3	30 MAY 13		
3.4-1	18 DEC 08	2.1-4	30 MAY 13		
3.4-2	18 DEC 08	2.1-5	28 JUL 11		
3.5-1	18 DEC 08	2.1-6	28 JUL 11		
3.5-2	18 DEC 08	2.1-7	18 NOV 10		
3.6-1	18 DEC 08	2.1-8	18 NOV 10		
3.6-2	18 DEC 08	2.1-9	18 NOV 10		
		2.1-10	18 NOV 10		
ENR 4		2.1-11	30 JUL 09		
4.1-1	18 DEC 08	2.1-12	30 JUL 09		
4.1-2	18 DEC 08	2.1-13	30 JUL 09		
4.2-1	18 DEC 08	2.1-14	30 JUL 09		
4.2-2	18 DEC 08	2.1-15	14 JUN 12		
4.3-1	18 DEC 08	2.1-16	14 JUN 12		
4.3-2	18 DEC 08	2.24.1.1-1	13 DEC 12		

BKPR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	<i>AD category for fire fighting</i>	ICAO Category 8
2	<i>Rescue equipment</i>	BA, HAZCHEM, Portable HYD Rescue Kit, Parter Saws
3	<i>Capability for removal of disable ACFT</i>	Nil
4	<i>Remarks</i>	Nil

BKPR AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	<i>Types of clearing equipment</i>	3 x Jet Sweepers, 2 x Unimac w/Blowers, 1 x Unimac w/DE-Icing spreader, 1 x DE-Icing spreader unit, 1 x Airfield surface cleaner.
2	<i>Clearance priorities</i>	Runway, Taxiways A, C, Apron TWYs F, E.
3	<i>Remarks</i>	Nil

BKPR AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	<i>Delta Apron surface and strength</i> <i>Lima Apron surface and strength</i> <i>Juliet Apron surface and strength</i>	390m x 118m / Asphalt / PCN 70/F/B/X/T 126m x 66m / Concrete/ PCN 65/R/C/W/T 100m x 52m / Asphalt / PCN 70/F/B/X/T																																												
2	<i>Taxiway width, surface and strength</i>	<table border="1"> <thead> <tr> <th>Taxiway</th> <th>Width</th> <th>Surface</th> <th>Strength</th> </tr> </thead> <tbody> <tr><td>A1</td><td>23 m</td><td>Asphalt</td><td>PCN 70/F/B/X/T</td></tr> <tr><td>A2</td><td>23 m</td><td>Asphalt</td><td>PCN 70/F/B/X/T</td></tr> <tr><td>A3</td><td>23 m</td><td>Asphalt</td><td>PCN 70/F/B/X/T</td></tr> <tr><td>A4</td><td>23 m</td><td>Asphalt</td><td>PCN 70/F/B/X/T</td></tr> <tr><td>C</td><td>23 m</td><td>Asphalt</td><td>PCN 70/F/B/X/T</td></tr> <tr><td>E</td><td>23 m</td><td>Asphalt</td><td>PCN 70/F/B/X/T</td></tr> <tr><td>F</td><td>23 m</td><td>Asphalt</td><td>PCN 70/F/B/X/T</td></tr> <tr><td>H1</td><td>23 m</td><td>Asphalt</td><td>PCN 65/F/B/X/T</td></tr> <tr><td>H2</td><td>23 m</td><td>Asphalt</td><td>PCN 65/F/B/X/T</td></tr> <tr><td>K</td><td>15 m</td><td>Asphalt</td><td>PCN 70/F/B/X/T</td></tr> </tbody> </table>	Taxiway	Width	Surface	Strength	A1	23 m	Asphalt	PCN 70/F/B/X/T	A2	23 m	Asphalt	PCN 70/F/B/X/T	A3	23 m	Asphalt	PCN 70/F/B/X/T	A4	23 m	Asphalt	PCN 70/F/B/X/T	C	23 m	Asphalt	PCN 70/F/B/X/T	E	23 m	Asphalt	PCN 70/F/B/X/T	F	23 m	Asphalt	PCN 70/F/B/X/T	H1	23 m	Asphalt	PCN 65/F/B/X/T	H2	23 m	Asphalt	PCN 65/F/B/X/T	K	15 m	Asphalt	PCN 70/F/B/X/T
Taxiway	Width	Surface	Strength																																											
A1	23 m	Asphalt	PCN 70/F/B/X/T																																											
A2	23 m	Asphalt	PCN 70/F/B/X/T																																											
A3	23 m	Asphalt	PCN 70/F/B/X/T																																											
A4	23 m	Asphalt	PCN 70/F/B/X/T																																											
C	23 m	Asphalt	PCN 70/F/B/X/T																																											
E	23 m	Asphalt	PCN 70/F/B/X/T																																											
F	23 m	Asphalt	PCN 70/F/B/X/T																																											
H1	23 m	Asphalt	PCN 65/F/B/X/T																																											
H2	23 m	Asphalt	PCN 65/F/B/X/T																																											
K	15 m	Asphalt	PCN 70/F/B/X/T																																											
3	<i>Altimeter Check Location and elevation</i>	Apron / 540 m																																												
4	<i>VOR checkpoint</i>	Nil																																												
5	<i>INS checkpoint</i>	Nil																																												
6	<i>Remarks</i>	Nil																																												

BKPR AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraftstands</i>	Marshall's instructions for parking are mandatory.
2	<i>RWY and TWY markings and LGT</i>	Runway markings: designators, thresholds, center-line, edges, TDZs. Illuminated RWY hold bars. Taxiway markings: edges and centre-lines
3	<i>Stop bars</i>	Located in E, C and F
4	<i>Remarks</i>	Nil

BKPR AD 2.10 AERODROME OBSTACLE

<i>In approach / TKOF areas</i>			<i>In circling area and at AD</i>			<i>Remarks</i>
1			2			3
RWY area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates		
a	b	c	a	b		

BKPR AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	<i>Associated MET Office</i>	Pristina International Airport MET Department	
2	<i>Hours of service</i> <i>MET Office outside hours</i>	H24	
3	<i>Office responsible for TAF preparation</i> <i>Period of validity</i>	Pristina AD: World Meteorological Organization (WMO) (Class 2) forecasters give meteorological forecast H24	
4	<i>Type of landing forecast</i> <i>Interval of issuance</i>	Long TAF issued at 0400, 1000, 1600 and 2200 UTC	Trend 2 hour
5	<i>Briefing/consultation provided</i>	As required	
6	<i>Flight documentation</i> <i>Language(s) used</i>	English	
7	<i>Charts and other information available for briefing or consultation</i>	All available	
8	<i>Supplementary equipment available for providing information</i>	ATIS available on freq. 132.000 MHz, AD HR	
9	<i>ATS units provided with information</i>	Tower, Radar, Rescue and Firefighting and IMT services	
10	<i>Additional information (limitation of service, etc.).</i> <i>Remarks</i>	MET facilities meet civilian standards and there may be a variance to WMO requirements. METAR as BKPR 2.3 Item 6. TAFOR H24.	

BKPR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

<i>Designation</i> <i>RWY</i> <i>NR</i>	<i>TRUE BRG</i>	<i>Dimensions of</i> <i>RWY (m)</i>	<i>Strength (PCN and</i> <i>surface of RWY and</i> <i>SWY</i>	<i>THR</i> <i>coordinates</i>	<i>THR elevation and</i> <i>highest elevation of</i> <i>TDZ of precision</i> <i>APP RWY</i>
1	2	3	4	5	6
17	176° GEO	2501 x 45	PCN 100/F/B/X/T Asphalt	423507,00N 0210224,58E	1789 ft (545.5 m)
35	356° GEO	2501 x 45	PCN 100/F/B/X/T Asphalt	423346,58N 0210212,78E	1786 ft (544.5 m)

<i>Slope of</i> <i>RWY - SWY</i>	<i>SWY</i> <i>dimensions</i>	<i>CWY</i> <i>dimensions (m)</i>	<i>Strip</i> <i>dimensions (m)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
17 - Slope 0,04% down	Not present	Not present	2621 x 300		